



rotowash

Clean multiple floor coverings with the same machine; it's that easy!

Scrub-Wash-Dry



CONTRACT CLEANERS
Rotowash understands that your business needs the ability to provide efficient, effective, high quality results to your clients.



HOSPITAL & AGED CARE FACILITIES
Arrange a FREE demonstration to see how Rotowash can raise the standard in your health care facility.



HOTELS & MOTELS
First impressions are vital. Request a demo and see why Rotowash can clean all floor types from your suites to your kitchens. Rotowash's unique design lifts your carpet pile and removes trapped soiling that creates those bad odours.



AIRPORTS
Airports are high traffic and constantly being soiled. Rotowash can provide a unique cleaning solution for all floor surfaces.



RETAIL
For clean presentation in high traffic shopping centres, car showrooms, workshop service centres, offices building; think fast, efficient, easy to use Rotowash.



HOSPITALITY & CATERING VENUES
First class appearance and hygiene are vital to success in these industries.

FLOOR TYPES

Hard Floors	Vinyl/Lino
	Terrazzo/Marble
	Concrete/Stone
	Profiled Rubber
	Tiles
	Safety Floors
	Resin Floors
Polished	Wooden Floors
	Sports Floors
	Vinyl/Lino
	Terrazzo/Marble
Carpet	Rubber Floors
	Wood Floors
	Oiled Woodfloors
	Industrial
	Commercial
	Domestics
	Metal Floors
	Entrance Matting



SPORTS & GYMNASIUM
Blood, sweat and tears. A clean and healthy environment is all important with such high traffic and constant soiling.



ENTERTAINMENT
For stadiums, exhibition areas, pubs, clubs, and function centres it's vital to provide clean, well presented areas.



AT HOME
Inside & Out - Carpets, tiles, stone floors, and patios, wooden decking, drive ways and garages. A Rotowash provides effortless cleaning and as easy to use as a vacuum cleaner.



ESCALATORS & TRAVELATORS
Fast, simple, safe and highly effective; see the results for yourself with a FREE demo at your site now. Easy to use for men or women.



MANUFACTURING & FOOD PROCESSING
These industries are scrutinised for regulatory compliance requiring the highest hygienic standards. Rotowash provides an efficient and highly effective solution to maintaining the standards required.



EDUCATION FACILITIES
Cleanliness, health and cleaning-speed are your school or university's top priorities, our machines will help you achieve these goals.

Rotowash

The factory

Rotowash is amongst the pioneers in the design and manufacture of compact scrubberdryer floorcleaning machines specialized in twin cylindrical counter rotating brush technology.

Rotowash floorcleaning machines are being successfully employed internationally for more than 38 years. Rotowash machines are designed and made in Austria using components of the highest quality. The management and production systems undergo frequent audits by British Standard Institute - BSI - according to ISO 9001. Rotowash products are frequently audited and approved by OVE, Austria and BSI and conform to the high standards of design, quality and safety set by CE - Conformity European.

Our experience and expertise developed over the past four decades as a major manufacturer and supplier, enables us to be the catalyst to help you identify and assess your floor maintenance needs.



Rotowash - The Original

The clever method for sustainable efficiency in floorcare




High standard of floor hygiene achieved by the unique Rotowash cleaning action of twin cylindrical contra-rotating brushes for all types of hard floors and carpets.

Large floor cleaning capacity. Up to **90% savings on water and chemical costs.**

Quality Made in Austria with reliable parts supply. Eco-friendly manufactured, recyclable.

Rotowash

One machine
for multiple applications



- Rotowash Side Brush ▲
- Rotowash Rotocart ▲
- Rotowash Corner Brush ▶



Rotowash Plus

Featuring integrated electrical spraying unit with accurate water distribution on demand and precise spray jet ahead of the front brush.

- A** Universal safety handle for left and right hand operation
- B** Easy grip water release control
- C** Pivoting quick release cable holder
- D** 10m mains cable
- E** Removeable slim line clean water tank 7ltr
- F** See through water hose with snap on/off easy connection
- H** Waste water tray lid with water level indicator
- J** Electrical sprayer
- M** Brush pressure control knob
- N** Spring loaded clip for quick removal of handle
- P** Heavy duty side and front protector bumpers
- R** Easy to fit and remove brush axles
- S** Built-in brush location plate for simple and fast fitting of brushes
- T** Retractable transport rollers suspend load on brushes while not in operation
- U** Cylindrical brushes, easy to remove without using any tools. Available in multiple colours for hygiene control
- V** Easily removable waste water tray
- W** Safety thermal cut-out control
- X** Specially coated aluminium body housing for high mechanical resistance
- Y** Long life filter unit
- Z** Self retractable spray jet nozzle



R45B

R60B

	950	1.150	Single-phase induction motor [Watt]
	650	650	Brush speed [R.p.m]
	440	600	Brush width [mm]
	7	7	Clean water capacity [Litre]
	2,5	3,5	Dirty water capacity [Litre]
** ***	electric spray	*** **	Water distribution
	270	220	Brush pressure [g/cm ²]
	32	35	Weight [kg]
	366	366	Length [mm]
	545	705	Width [mm]
	205	205	Height w/o handle [mm]
** ***	1.000 - 205 variable	*** **	Height in operation [mm]
			Coverage
	1.275	1.845	Hard floors [up to m ² /h]
	630	920	Soft floors [up to m ² /h]

Rotowash Classic

The standard models including loop handle, non-electrical water dosage and distribution of the cleaning solution between the brushes.

- A Universal safety handle** for left and right hand operation
- B Easy grip water release control**
- C Pivoting quick release cable holder**
- D 10m mains cable**
- E Removeable slim line clean water tank 7ltr**
- H Waste water tray lid with water level indicator**
- I Clean water tray**
- K Bowden controlled water distribution**
- M Brush pressure control knob**
- N Spring loaded clip** for quick removal of handle
- O Ball valve controlled water flow**
- P Heavy duty side and front protector bumpers**
- R Easy to fit and remove brush axles**
- S Built-in brush location plate** for simple and fast fitting of brushes
- T Retractable transport rollers** suspend load on brushes while not in operation
- U Cylindrical brushes**, easy to remove without using any tools. Available in multiple colours for hygiene control
- V Easily removable waste water tray**
- W Safety thermal cut-out control**
- X Specially coated aluminium body housing** for high mechanical resistance



R45S

950	Single-phase induction motor [Watt]
650	Brush speed [R.p.m]
440	Brush width [mm]
2 / 7	Clean water capacity [Litre]
2,5	Dirty water capacity [Litre]
gravity	Water distribution
260	Brush pressure [g/cm ²]
30 / 31	Weight [kg]
366	Length [mm]
545	Width [mm]
205	Height w/o handle [mm]
** *** 1.000 - 205 variable *** **	Height in operation [mm]
	Coverage
720	Hard floors [up to m ² /h]
270	Soft floors [up to m ² /h]

Rotowash Flex

The stick handle enhances flexible working in tight areas.
An optional tank is available.

- A Handle** for left and right hand operation switches motor by tilting
- B Easy grip water release control**
- C** Pivoting quick release **cable holder**
- D 10m mains cable**
- G** Anodized **aluminium handle**, easy to stow
- H** Waste water tray lid with **water level indicator**
- I** Clean water tray
- K Bowden controlled water distribution**
- L** Coupling disconnects handle
- M** Brush pressure control knob
- P Heavy duty side and front protector bumpers**
- R** Easy to fit and remove **brush axes**
- S** **Built-in brush location plate** for simple and fast fitting of brushes
- T** **Retractable transport rollers** suspend load on brushes while not in operation
- U** **Cylindrical brushes**, easy to remove without using any tools. Available in multiple colours for hygiene control
- V** Easily removable **waste water tray**
- W** **Safety thermal cut-out control**
- X** **Specially coated aluminium body housing** for high mechanical resistance



400	550	Single-phase induction motor [Watt]
650	650	Brush speed [R.p.m]
200	300	Brush width [mm]
1 / 3	1,5 / 3	Clean water capacity [Litre]
1,5	2	Dirty water capacity [Litre]
gravity	gravity	Water distribution
280	300	Brush pressure [g/cm ²]
15 / 16	20,5 / 21,5	Weight [kg]
366	366	Length [mm]
303	403	Width [mm]
205	205	Height w/o handle [mm]
** ***	1.000 - 205 variable *** **	Height in operation [mm]
Coverage		
230	375	Hard floors [up to m ² /h]
100	150	Soft floors [up to m ² /h]

Rotowash Escalator

- A Universal safety handle** for left and right hand operation
- B Easy grip water release control**
- C Pivoting quick release cable holder**
- D 10m mains cable**
- E Removeable slim line clean water tank** 7ltr
- F See through water hose with snap on/off easy connection**
- H Waste water tray lid with water level indicator**
- J Electrical sprayer**
- M Brush pressure control knob**
- N Spring loaded clip** for quick removal of handle
- P Heavy duty side and front protector bumpers**
- R Easy to fit and remove brush axles**
- S Built-in brush location plate** for simple and fast fitting of brushes
- T Retractable transport rollers** suspend load on brushes while not in operation
- U Cylindrical brushes**, easy to remove without using any tools. Available in multiple colours for hygiene control
- V Easily removable waste water tray**
- W Safety thermal cut-out control**
- X Specially coated aluminium body housing** for high mechanical resistance
- Y Long life filter unit**
- Z Self retractable spray jet nozzle**



Escalating to new heights ... and getting into the grooves!

The Rotowash specialist machine model R45B Escalator achieves a high quality deep clean on escalators treads and travelators.

In one pass the R45B Escalator washes, scrubs, collects the soil, retrieves the water immediately, and dries.

Additionally, in a matter of seconds the R45B Escalator can be switched to standard floor cleaning mode.



R45B ESC

The Side Brush comes as a standard on the R45B ESC.

950	Single-phase induction motor [Watt]
650	Brush speed [R.p.m]
300	Brush width [mm]
7	Clean water capacity [Litre]
2,5	Dirty water capacity [Litre]
electric spray	Water distribution
270	Brush pressure [g/cm ²]
32	Weight [kg]
366	Length [mm]
545	Width [mm]
205	Height w/o handle [mm]
1.000 - 205 variabel	Height in operation [mm]
	Coverage
1.275	Hard floors [up to m ² /h]
630	Soft floors [up to m ² /h]

rotowash

Kleen Kuip Supply Mart Inc.
11 Banigan Drive
Toronto ON Canada
M4H1G3

Phone: 416-429-0401

Toll Free: 1-800-565-2574

Fax: 416-429-0403

Email: sales@kleenkuip.com

www.kleenkuip.com

www.carpet-cleaning-equipment-toronto.com